



Folga 富高

Folga 富高

● 玻璃切磨洗智能连线方案  
Glass "cutting-edging-washing" fully line solution

● 玻璃全自动全智能全伺服高速双边磨生产线  
Fully automatic glass double edger line

● 玻璃全自动全抛光高速四边磨生产线  
Fully automatic glass seaming machine line

● 玻璃直线磨边机生产线  
Glass vertical single edge line

22 YEARS

One-stop Comprehensive Glass Grinding  
Polishing Solutions

Folga 富高

# 一站式玻璃磨边解决方案 One-stop Comprehensive Glass Grinding Polishing Solutions

核心價值觀：  
Core Value：  
誠信、真誠、敬業、專業  
Sincere, Dedicated, Professional

經營理念：  
Management Idea：  
以人為本、品德為先、謙虛做人、務實做事  
People-oriented, Morality First, Be Modest, Be Pragmatic

企業精神：  
Enterprise Spirit：  
一心做好 始終如一  
Do One Well, To Be Consistent



## 目錄 CONTENTS

企業介紹  
WHO WE ARE

pag.01

玻璃全自動高速雙邊磨生產線  
HIGH SPEED DOUBLE EDGER  
PRODUCTION LINE

pag.07

玻璃全自動四邊磨邊生產線  
HIGH-SPEED FOUR-SIDE EDGER  
PRODUCTION LINE

pag.17

玻璃立式直邊機生產線  
GLASS VERTICAL STRAIGHT  
EDGING PRODUCTION LINE

pag.23

服務體系  
WHAT WE CAN PROVIDE

pag.25

升級前  
BEFORE

佛山市順德區富高玻璃機械有限公司  
FOSHAN FOLGA GLASS MACHINERY CO.,LTD

升級後  
AFTER

廣東富高智能科技有限公司  
GUANGDONG FOLGA INTELLIGENT TECHNOLOGY CO.,LTD

## WHO WE ARE 公司介紹

廣東富高智能科技有限公司作為資深港資企業，自2004年扎根佛山順德以來，深耕玻璃機械領域二十二載，係集研發、生產、銷售、安裝、調試、一站式售後服務於一體的國家高新技術企業、廣東省專精特新企業，憑藉過硬技術與穩健品質，成為行內公認的智能玻璃加工裝備核心供應商。公司立足順德製造產業優勢，搭建全國服務網絡，分別設立華南、華東、華北、西南四大區域服務中心，實現本地化快速響應，全方位解決客戶設備應用、技術支援與後續維護需求，打通服務最後一公里。

二十二載初心不變，我們始終堅守「一心做好，始終如一」的企業精神，以技術創新為核心驅動力，持續深耕玻璃加工裝備研發升級。企業已嚴格通過ISO9001質量管理體系認證、CE歐盟認證，累計擁有60多項發明專利與實用新型專利，緊貼市場需求優化產品迭代，為客戶定製一站式玻璃磨邊解決方案。憑藉領先的工藝技術與穩定的產品性能，富高產品暢銷全球，遠銷世界70多個國家及地區，贏得海內外客戶的長期信賴與認可。

**主營項目：**玻璃切磨洗智能連線方案、玻璃全自動全智能全伺服高速雙邊磨生產線、玻璃全自動全拋光高速四邊磨生產線、玻璃直線磨邊機生產線、自動理片倉儲等。

Guangdong Folga Intelligent Technology Co. Ltd, is a well-established Hong Kong-invested enterprise, which has been based in Shunde, Foshan since 2004. It is a national high-tech enterprise, Guangdong provincial specialized, sophisticated, distinctive and innovative enterprise for glass machines that integrated R&D, manufacturing, sales installation, commissioning and after-sales. Based on superior technology and reliable quality, we have earned industry recognition as a leading supplier of intelligent glass processing equipment. Based on the strengths of Shunde's manufacturing sector, the company has developed a nationwide service network to support its operations, four service centers respectively built in South China, East China, North China, Southwest China. With localized rapid response, we provide comprehensive solutions for equipment application, technical support, and maintenance, ensuring end-to-end service coverage.

22 years, We Folga have been insisting on the spirit of 'DO ONE WELL, TO BE CONSISTENT' together with continuous innovation ability, with technological innovation as our core driver, we are deeply committed to the ongoing R&D and upgrading of glass processing machinery. Folga has obtained ISO9001 and CE certifications and more than 60 patents in order to closely following market demands to optimize product iteration to offer one-stop products solutions for customers. With superior technology and stable performance, Folga products are trusted worldwide—exporting to over 70 countries and regions, winning the long-term trust and widespread recognition of clients worldwide.

**Main products:** Glass "cutting-edging-washing" fully line solution , Fully automatic glass double edger line , Fully automatic glass seaming machine line , Glass vertical single edge line, Automatic Glass Sorting & Storing

### FSM

玻璃全自動  
高速雙邊磨機  
GLASS DOUBLE  
EDGER MACHINE LINE

24 26 28Motors  
10 12 14Motors

适用范围：  
建築玻璃、中空門窗  
淋浴房玻璃、家具家电玻璃等  
Suitable for:  
building glass, insulating glass  
Shower room glass  
electric appliance glass, etc

### FGS

玻璃全自動  
四邊磨邊機  
GLASS FOUR-SIDE  
EDGER MACHINE LINE

12 14 16Spindles

适用范围：  
中空門窗玻璃  
Suitable for:  
Window & Door glass  
or insulating glass that  
not need to be finely polished

### FZM

玻璃立式  
直線磨邊機  
GLASS STRAIGHT-LINE  
EDGING MACHINE LINE

9Motors

适用范围：  
矩形、散單玻璃  
Suitable for:  
Irregular Glass With Mixed Size

# EXPERIENCE ▶

## 發展歷程

升級為全伺服智能連續生產線，實現更高精度與自動化水平推出整廠智能化工廠解決方案，聚焦高端應用場景，為客戶提供一站式玻璃磨邊解決方案

Upgraded to full-servo intelligent continuous production line for higher precision and automation, Launched intelligent factory solutions, Focused on high-end applications, providing one-stop intelligent glass processing services

### 2020

### 2023

技術迭代：升級到第五代高速全拋光四邊磨  
持續突破核心工藝  
Technology evolution, have upgraded to the 5th generation-High speed fully polishing

### 2024

迎來品牌成立 20 周年，回顧匠心歷程，  
鑰定新發展目標  
Celebrated 20th anniversary, reviewing legacy and setting new development goals

### 2025

整廠賦能為建築玻璃、高端家裝、門窗淋浴房智能  
玻璃工廠升級解決方案  
Upgraded Solutions of Intelligent Glass Factory  
For: Architectural Glass, High-end home Decoration  
Glass, Windows & Doors, Shower Room Glass

### 2026

持續深化智能化、數碼化轉型，引領全球玻璃加工裝備新方向  
Deepened intelligent and digital transformation,  
leading the next wave of global glass processing  
equipment innovation

### 2004

紮根順德，開啟玻璃磨邊機等核心設備製造  
玻璃直線磨邊機、玻璃斜邊磨邊機、玻璃異形  
磨邊機、玻璃鑽孔機、玻璃清洗機打砂機  
Established in Shunde,  
mainly manufacture glass  
single edging machine, glass  
beveling machine, glass  
irregular shaping machine,  
glass drilling machine and  
glass washing machine.

### 2005

研發生產第一代玻璃雙邊磨邊機  
Research & develop glass double edger

### 2008

自建廠房投入使用，完成產能與製造基礎升級  
Built self-owned factory, upgrading  
production capacity and manufacturing  
infrastructure

### 2010

智能進階：從全自動生產線升級為全伺服智能連續產線，  
設備出口覆蓋 60+ 國家與地區  
Intelligent upgrade to full-servo intelligent production  
lines, Global expansion, exporting to 60+ countries  
& regions

### 2013

技術迭代：升級到第三代高速智能雙邊磨生產線，持續  
突破核心工藝，研發生產第一代四邊磨，持續優化產品性能，  
鞏固行業技術領先地位  
Technology evolution: double edger have upgraded to the  
3rd generation for continuous breakthroughs in core  
processes; research and develop the 1st generation  
seaming machine for continuously optimize product  
performance to consolidate the industry's technological  
leadership



# Intelligent Factory for Glass Deep Processing

玻璃深加工智慧工厂




# GLASS HIGH-SPEED DOUBLE EDGING LINE FOR FINE POLISHING

玻璃全自動高速雙邊精磨生產線

建筑玻璃、高端家裝、門窗、淋浴房  
智能玻璃工廠升級解決方案

Upgraded Solutions Of Intelligent Glass Factory For  
Architectural Glass,High-end Home Decoration Glass  
Windows & Doors,Shower Room Glass



## FSM SERIES

24/26/28 磨頭 Motors

### 主要性能 Features

- 開合採用伺服加雙滾珠絲桿副及直邊導軌副，自動開合，重複定位好；
  - 磨頭拖板採用雙燕尾型導軌，運行平穩，震動小；
  - 上45度倒角採用自動升降，定位準確，操作便捷；
  - 壓緊架自動升降，升降幅度大，磨輪更換便捷；
  - 主傳動採用雙伺服驅動，換帶、維護更方便；
  - 玻璃輸送採用同步帶和不銹鋼導軌槽，傳送平穩、定位準確、耐用；
  - 採用人機界面，PC或PLC高端控制系統，操作簡便，自動化程度高；
  - 在散單模式時，玻璃在進出端智能提速，節省加工週期時間；
  - 自動中心托架，根據開合尺寸自動對中，讓玻璃平穩輸送；
  - 可對接ERP和掃描系統，自動識別二維碼和條形碼；
  - 餘量檢測功能，用於實時檢測被送入的玻璃是否超出所設定的標準餘量，若玻璃超出時，會按照用戶設置的速度進行降速處理，以保證玻璃加工安全。
- Opening and closing use servo and double ball screw rod pair and linear guide rail pair,automatically open and close, accurate re-positioning;
  - The grinding head carriage adopts double dovetail guide rails, stable running and small vibration;
  - The upper 45° chamfer adopts automatic lifting, accurate positioning and easy operation;
  - The press frame is available to automatically rise and fall,the rising and fall range large enough for esay replacement of the grinding wheel;
  - The main drive adopts double servo drive, belt changing and maintenance are much easier;
  - Synchronous belt and stainless steel guide rail are adopted for glass conveying, to make sure stable running and accurate positioning,durability;
  - Human machine interface and PC/PLC control system are adopted to make sure simple operation and high automation;
  - When mixed size mode, glass can be intelligently accelerated at the inlet & outlet ends to save the processing cycle time;
  - Automatic center holder,automatically center according to the opening and closing size to make sure glass convey steadily;
  - System software ERP can be docking with scan system, automatically identify QR code or Bar code
  - Margin detection function,which is used to detect whether the glass sent into machine exceeds the set standard margin, If the glass exceeds the set standard margin,the speed will be reduced according to the speed set by the user, to ensure the safety of glass processing.

### 基本參數 (可選) Optional Items

型號/Model	最大尺寸/Max.Size	最小尺寸/Min.Size
6030	6000x3000	600x350mm
5030	5000x3000	400x350mm
4225	4200x2500	350x350mm
3025	3000x2500	350x350mm
2520	2500x2000	350x350mm
2010	2000x1000	350x350mm








### 技術參數 Optional Items


加工玻璃厚度	Glass Thickness	3-25mm
底邊最大磨削量	Max.Edge Grinding	5mm
棱角最大磨削量	Max.Chamfer Grinding	2mm
加工速度	Working Speed	1-30m /min
開合速度	Size Changing Speed	1-18m /min
相對平行誤差	Parallel Error	≤0.2mm /m
對角線誤差	Diagnial Error	≤0.5mm /m
氣動工作氣壓	Air Pressure	≥0.6Mpa
電壓頻率	Voltage	380V/50Hz
單機重量	Single Machine Weight	≈9.5Ton
單機功率	Single Machine Power	74kw(24motors)
工作高度	Work Height	900±20

案例對比  
Case Comparison

高速雙邊機生產線-連線方案 High-Speed Double Edger Line For Fine Polishing						
類型 Model	高速雙邊磨 Double Edger	檢測台+高速雙邊機 Measuring Table +Double Edger	高速雙邊機+中轉台+高速雙邊機 Double Edger+Transfer Table +Double Edger	檢測台+高速雙邊機+中轉台+高速雙邊機 Measuring Table+Double Edger +Transfer Table+Double Edger	檢測台+高速雙邊機+中轉台+高速雙邊機+清洗機 Measuring Table + Double Edger +Transfer Table + Double Edger + Washing Machine	上片台+檢測台+高速雙邊機+中轉台+高速雙邊機 +清洗機+下片台 Loading Table + Measuring Table + Double Edger + Transfer Table + Double Edger+Washing Machine + Unloading Table
配備人數 workers are required	2-4	2-4	2-4	2-4	2-4	1
8小時加工散單尺寸玻璃完成量 (玻璃尺寸1000*1000) When processing mixed size glass in 8-hour day (Glass size 1000*1000)	200-400m <sup>2</sup>	200-400m <sup>2</sup>	800-1200m <sup>2</sup>	800-1200m <sup>2</sup>	800-1200m <sup>2</sup>	800-1200m <sup>2</sup>
8小時加工相同尺寸玻璃完成量 (玻璃尺寸1000*1000) When processing same size glass in 8-hour day (Glass size 1000*1000)	500-1000m <sup>2</sup>	500-1000m <sup>2</sup>	1600-3000m <sup>2</sup>	1500-3000m <sup>2</sup>	1500-3000m <sup>2</sup>	1500-2400m <sup>2</sup>
自動檢測玻璃寬度和長度、厚度 Measure glass width and length automatically	不配備檢測台 Not equipped for Measuring Table	配備檢測台 Measuring Table	不配備檢測台 Not equipped for Measuring Table		配備檢測台 Measuring Table	
管理系統對接 Interface management system	可對接MAS/ERP系統 Can be connected to MAS/ERP system				可對接MAS/ERP系統 Can be connected to MAS/ERP system	

選配項目  
Optional Items

磨頭選配 Optional	<input type="radio"/> 24磨頭 24 Motor 	<input type="radio"/> 26磨頭-1 26 Motor-1 	<input type="radio"/> 26磨頭-2 26 Motor 	
	<input type="radio"/> 28磨頭 28 Motor 	<input type="radio"/> 30磨頭 30 Motor 		
尺寸定製 Sizes Customized	<input type="radio"/> 1600mm <input type="radio"/> 2000mm <input type="radio"/> 2500mm	<input type="radio"/> 3000mm <input type="radio"/> 4200mm	<input type="radio"/> 5000mm <input type="radio"/> 6000mm	
最後一組磨頭選配 Grinding Motor Optional	<input type="radio"/> 除膜功能 LOW-E <input type="radio"/> 增強拋光 Enhance Polishing			
定製電氣標準 Electrical Standard	<input type="radio"/> UL標準 UL Certification	<input checked="" type="radio"/> CE標準 (標配) CE Certification (Standard configuration)		
定製顏色 Color Customized	<input type="radio"/>  光橘 Orange <input type="radio"/>  雅白 White	<input type="radio"/>  灰色 Grey		



**主要性能  
Features**

- 開合採用伺服加雙滾珠絲桿副及直邊導軌副，自動開合，重複定位好；
- 磨頭拖板採用雙燕尾型導軌，運行平穩，震動小；
- 上45度倒角採用自動升降，定位準確，操作便捷；
- 壓緊架自動升降，升降幅度大，磨輪更換便捷；
- 主傳動採用雙伺服驅動，換帶、維護更方便；
- 玻璃傳送採用同步帶和不鏽鋼導軌槽，傳送平穩、定位準確、耐用；
- 採用人機界面，PC或PLC高端控制系統，操作簡便，自動化程度高；
- 在散單模式時，玻璃在進出端智能提速，節省加工週期時間；
- 自動中心托架，根據開合尺寸自動對中，讓玻璃平穩輸送；
- 可對接ERP和掃描系統，自動識別二維碼和條形碼；
- 餘量檢測功能，用於實時檢測被送入的玻璃是否超出所設定的標準餘量，若玻璃超出時，會按照用戶設置的速度進行降速處理，以保證玻璃加工安全。

- Opening and closing use servo and double ball screw rod pair and linear guide rail pair, automatically open and close, accurate re-positioning;
- The grinding head carriage adopts double dovetail guide rails, stable running and small vibration;
- The upper 45° chamfer adopts automatic lifting, accurate positioning and easy operation;
- The press frame is available to automatically rise and fall, the rising and fall range large enough for easy replacement of the grinding wheel;
- The main drive adopts double servo drive, belt changing and maintenance are much easier;
- Synchronous belt and stainless steel guide rail are adopted for glass conveying, to make sure stable running and accurate positioning, durability;
- Human machine interface and PC/PLC control system are adopted to make sure simple operation and high automation;
- When mixed size mode, glass can be intelligently accelerated at the inlet & outlet ends to save the processing cycle time;
- Automatic center holder, automatically center according to the opening and closing size to make sure glass convey steadily;
- System software ERP can be docking with scan system, automatically identify QR code or Bar code
- Margin detection function, which is used to detect whether the glass sent into machine exceeds the set standard margin, if the glass exceeds the set standard margin, the speed will be reduced according to the speed set by the user, to ensure the safety of glass processing.

**選配項目  
Optional Items**



**基本參數 (可選)  
Optional Items**

型號/Model	最大尺寸/Max.Size	最小尺寸/Min.Size
4225	4200x2500	350x350mm
3025	3000x2500	350x350mm
2525	2500x2500	350x350mm
2520	2500x2000	350x350mm
2516	2500x1600	350x350mm
2010	2000x1000	350x350mm


**技術參數  
Optional Items**

加工玻璃厚度	Glass Thickness	3-25mm
底邊最大磨削量	Max.Edge Grinding	5mm
棱角最大磨削量	Max. Chamfer Grinding	2mm
加工速度	Working Speed	1-30m / min
開合速度	Size Changing Speed	1-18m / min
相對平行誤差	Parallel Error	≤0.2mm /m
對角線誤差	Diagnial Error	≤0.5mm /m
氣動工作氣壓	Air Pressure	≥0.6Mpa
電壓頻率	Voltage	380V/50Hz
單機重量	Single Machine Weight	≈6Ton
單機功率	Single Machine Power	42kw(12motors)
工作高度	Work Height	900±20

**GLASS HIGH-SPEED DOUBLE EDGING MACHINE PRODUCTION LINE  
(SRAIGHT SHAPE WITH 90° ROTATING TRANSFER TABLE)**

玻璃全自動高速雙邊精磨生產線（直線旋轉90°升降轉台）


**FSM** SERIES  
24/26/28 磨頭 Motors



**HIGH-SPEED DOUBLE EDGING PRODUCTION LINE FOR ROUGH GRINDING**

玻璃全自動高速雙邊亞光生產線

**FSM** SERIES  
12/14/18 磨頭 Motors




# The Entire Production Line

双边机连线案例

建筑玻璃、高端家装、门窗、淋浴房  
智能玻璃工厂升级解决方案

Upgraded Solutions Of Intelligent Glass Factory For  
Architectural Glass,High-end Home Decoration Glass  
Windows & Doors,Shower Room Glass




# HIGH-SPEED FOUR-SIDE EDGER PRODUCTION LINE

玻璃全自動四邊磨邊生產線

中空、高端门窗玻璃  
最高效解决方案

The Most Effective Solution For Window & Door Glass  
Or Insulating Glass



## FGS SERIES

8/12/16/28 磨頭 Spindles

### 主要性能 Features

- 採用三梁結構，四組磨削機構配合，加工速度可達40M/Min;
- 磨頭組採用直線導軌、斜齒和齒條組合，傳動快、穩、準;
- 整機採用伺服電機，傳動更精準更快速更穩定;
- 具有上下倒棱和底邊、除膜功能，一次性完成3種功能;
- 採用人機界面，PLC高端控制系統，操作簡便，自動化程度高;
- 散單模式下，加工效率高;
- 採用升降式探針，減少與玻璃的接觸，提高探針壽命，防止玻璃表面被刮傷;
- 6條立柱，保證上樑的剛性，易維護、保養;

- It adopts three bridges and four sets of grinding structure ,working speed up to 40m/min;
- Spindle structure adopts linear guide rail;helical gear and gear rack to make sure fast, stable and accurate transmission;
- servo motors to make transmission faster,more stable and accurate;
- Up & down chamfering, edge and LOW-E removal can be finished at one time;
- Human-computer interface ,PLC control system, easy to operate and high automation;
- High effective even mixed size mode ;
- It adopts lifting probe to reduce the touching with glass, and improve the life of the probe for prevent the glass surface from being scratched;
- 6 Support pillar to make sure beam rigidity for easy maintenance & service;


### 基本參數 (可選) Optional Items

型號/Model	最大尺寸/Max.Size	功能/Functions
0825/0830	2500/3000mm	倒棱/Only Arris
0825D/0830D	2500/3000mm	倒棱+底边/Arris+Edge
0825L/0830L	2500/3000mm	倒棱+除膜/Arris+Low-E
0825DL/0830DL	2500/3000mm	倒棱+底边+除膜/Arris+Edge +Low-E
0825DD/0830DD	2500/3000mm	倒棱+底边*2/Arris+Edge*2
0825DPL/0830DPL	2500/3000mm	倒棱+底边+底抛光+除膜/Arris+Edge Grinding+Edge Polishing+Low-E Removal
1625DPL/1630DPL	2500/3000mm	倒棱+底边+底抛光+除膜/Arris+Edge Grinding+Edge Polishing+Low-E Removal





### 技術參數 Optional Items

加工玻璃厚度	Glass Thickness	3-12mm
磨削速度3-6mm	Processing Speed 3-6mm	1-40m /min
磨削速度8-12mm	processing Speed 8-12mm	1-20m /min
棱角磨削量	Chamfer Grinding	0.5-2mm
相對平行誤差	Parallel Error	≤0.2mm /m
氣動工作氣壓	Air Pressure	≥0.6Mpa
電壓頻率	Voltage	380V/50Hz
單機功率	Single Machine Power	19-22Kw
單機重量	Single Machine Weight	≈5450Kg
工作高度	Work Height	900±20

### 選配項目 Optional Items




**案例對比**  
Case Comparison

<b>高速四邊磨生產線-連線方案</b> High-Speed Four Side Edger Production Line				
類型 Model	高速四邊磨 Seaming Machine	高速四邊磨+清洗機 Seaming Machine+Washing Machine	上片臺+高速四邊磨+清洗機+下片臺 Loading Machine + Seaming Machine + Washing Machine + Unloading Machine	上片臺+高速四邊磨+清洗機-直入鋼化爐 Loading Machine+Seaming Machine +Washing Machine - Tempering Furnace
配備人數 workers are required	2-4	2-4	1-2	1
8小時加工散單尺寸玻璃完成量 (玻璃尺寸1000*1000) When processing mixed size glass in 8-hour day (Glass size 1000*1000)	1500-2000m²	1500-2100m²	1300-1900m²	1300-1900m²
8小時加工相同尺寸玻璃完成量 (玻璃尺寸1000*1000) When processing same size glass in 8-hour day (Glass size 1000*1000)	1600-2600m²	1500-2400m²	1300-2200m²	1300-2200m²
管理系統對接 Interface management system	可對接MAS/ERP系統 Can be connected to MAS/ERP system		可對接MAS/ERP系統 Can be connected to MAS/ERP system	


**選配項目**  
Optional Items

磨頭選配 Optional	<input type="radio"/> 倒棱 Only Arris 	<input type="radio"/> 倒棱+底邊 Arris+Edge Grinding 	<input type="radio"/> 倒棱+除膜 Arris+Low-E Removal 	<input type="radio"/> 倒棱+底邊+除膜 Arris+Edge+Low-E Removal 	<input type="radio"/> 倒棱+底邊+底邊 Arris+Edge+Edge 	<input type="radio"/> 倒棱+倒棱拋光+底邊+底邊拋光+除膜 Arris Grinding + Arris Polishing + Edge Grinding + Edge Polishing + Low-E Removal 
尺寸定製 Sizes Customized	<input type="radio"/> 1600mm	<input type="radio"/> 2000mm	<input type="radio"/> 2500mm	<input type="radio"/> 3000mm	<input type="radio"/> 3300mm	
磨頭電機選配 Grinding Motor Optional	<input type="radio"/> 普通電機 Standard Motor		<input type="radio"/> 永磁電機 Permanent Magnet Motor		<input type="radio"/> 伺服電機 Servo Motor	
噴淋和風刀選配 Spray & Air Knife Optional	<input type="radio"/> 出段增加噴淋和風刀 Water Spray & Air Knife In The Exit					
定製電氣標準 Electrical Standard	<input type="radio"/> UL標準 UL Certification			<input checked="" type="radio"/> CE標準 (標配) CE Certification (Standard configuration)		
安全防護網 Safe Fence Installed For Protection	<input type="radio"/> 周圍安裝安全防護網 Safe Fence Installed For Protection					
定製顏色 Color Customized	<input type="radio"/>  光橘 Orange		<input type="radio"/>  雅白 White		<input type="radio"/>  灰色 Grey	
接觸水部分材質 Parts contact with water	<input type="radio"/> 304材質 304 stainless steel material					
輸送部分 Conveyance Section	<input type="radio"/> 分段輸送 Segmented Conveyance					



# GLASS VERTICAL STRAIGHT EDGING MACHINE

玻璃立式直邊機



## FZM SERIES

9 磨頭 Motors

### 主要性能 Features


- 立式磨邊機生產線適用於不同尺寸和厚度的平板玻璃的直邊和稜角磨削
- 應用與魚缸玻璃、衛浴、櫥櫃、工藝、家具、家電、建築等玻璃的加工
- Suitable for straight edge grinding and chamfering of flat glass with different size and thickness, widely used in processing aquarium, sanitary, cabinet, furniture, home appliances and architecture glass etc.

### 技術參數 Optional Items

加工玻璃厚度	Glass Thickness	3-25mm
最大加工尺寸	Max. Size	2000x2000mm
最小加工尺寸	Min. Size	100x100mm
底邊最大磨削量	Max. Edge Grinding	2.5mm
稜角最大磨削量	Max. Chamfer Grinding	3mm
占地尺寸	Overall Size	6800x1500x2500mm
工作高度	Work Height	750mm
總功率	Power	20KW

### 9磨頭 9Motors





## 全球服務 全心照顧

隨時隨地,我們提供優質的服務

Anytime Anywhere Good Service

## Global Service

### FOLGA Service

富高智能客戶服務

富高不僅為客戶提供優質的產品，而且在客戶考慮的角度從優化細節節約成本，提高性價比、方案評測等全方位入手，為您創造最大的客戶價值。

與此同時，富高依託廣泛的銷售服務網絡、專業的科技、銷售團隊，通過技術交流和專業研討，為客戶量身定制各類服務。

富高人不斷超越自我及提升專業的能力，竭誠為全球客戶提供高性價比的優質設備，以及規劃場地、項目設計安裝、調試等服務。

Folga not only offer superior products, but also help our customer optimize details, reduce costs and draw up projects to create maximum value for our customers.

Meanwhile, Folga offer customized services for our customers by widespread sales & after sales service network and professional & stable technology.

Folga people constantly seek self-exceeding and enhance their professional competence to offer superior equipment, plant site planing, machines installation and commissioning for our customers.

### Pre-sales Service

售前服務

根據客戶需求、隨時通過網絡、電話、郵件、上門等多種途徑，為客戶提供產品資料、技術諮詢、提升客戶對富高的認知和信心。Phone call, Email, Whatsapp, Wechat or others are available way to offer products information or technology consulting for enhancing awareness and faith from customers in Folga.

### Sales Service

售中服務

1 公司秉承誠信公平原則，無論合同金額大小、無論新老客戶無論國內外客戶，我們都會誠信、公平對待。

We always treat all our customers faithfully no matter new or repeat customers.

2 可為客戶提供產能配置、廠房規劃建議、現場安裝和調試指導等服務，使客戶對富高的服務感到便捷和貼心。

The optimum machine, plant site planing, machines installation and commissioning will be offered to our customers for better convenient and considerate service.

3 設備交付時，為客戶提供全套設備的操作使用說明書。

Operation manual will be offered together with machines delivery.



### After-sales Service

售後服務

1 為客戶提供設備安裝、使用及維護方面的培訓，以及今後保修服務。通過終端客戶對富高服務的感受和肯定，提升客戶的認可度，實現品牌增值。

Machine installation, operation & maintenance training and warranty service will be offered timely for enhancing recognition from customers to realize Folga brand value increased.

2 整機保修1年（不包含易損件：磨輪、皮帶等，設備人為損壞、自然災害、不可抗力因素、私自改動等不在保修範圍）

One year guarantee(excluded wear parts such as diamond wheel, resin wheel, polishing wheel and timing belt etc. Damages by man-made, natural disaster, force majeure, unauthorized alteration is not covered by guarantee)

3 網絡遠程服務與電話服務，受過專業培訓的工程師通過網絡向全球的用戶提供技術支持和服務。使用社交軟件進行遠程在線快速直觀的判斷故障，並即使處理，保證用戶更好的使用設備。

Qualified engineers offer technical support service by network remote service to timely solve problems



**Pre-sales Service:**

Provide technical service and planning suggestion


**Sales Service:**

Provide allocation, plant planning advice & infrastructure construction guidance service for customer.

**After-sale Service:**

Provide installation, operation training, maintenance & warranty service. Provide remote control module that responds quickly & help customers solve problems remotely. No need to arrange worker frequently, save time & cost less.

完善服務體系，從售前溝通開始，給客戶提供場地規劃方案，並全程為客戶提供諮詢服務；設備到廠後，我司將安排人員到達現場進行安裝調試，並為客戶提供一系列規範的操作培訓，設備保養及日常檢修；日後我司皆會安排地區性的定期上門回訪檢修設備，為客戶反饋情況及預防問題。



多對一服務制，意指我司多位不同部門的負責人全方位服務客戶只為更快速，更具針對性為客戶提供服務並解決問題；客戶只需在服務群裡反映問題，群內所有負責人皆可得知，並立即給予反饋與解決問題。

Eight-to-one service system, eight personnel from different departments to give customer all-round, swift and specific service. Customer only need to report the problem in the service group, all the personnel will give feedback and solutions immediately.



**重视产品用户的体验**  
Focus on the user experience

帮客户摆脱难题：

透过智能的方法  
帮客户解决**劳动成本**问题

—— FOLGA 富高

**Help Customers Solve The Labor Cost Problems  
Through Intelligent Methods**

—— FOLGA 富高



地址：佛山市順德區倫教街道霞石工業區七號之二  
 總機：+86-757-27336686  
 傳真：+86-757-25527810  
 國內銷售熱線：+86-757-25527808  
 國際銷售熱線：+86-757-25527809  
 售後熱線：+86-757-27885211  
 企業郵箱：info@folga.cn  
 官方網站：http://www.folga.cn

Add: No.7 2nd Gate,Xiashi Industry Zone, Yangda Rd,  
 Lunjiao, Shunde,Foshan,Guangdong, China  
 Tel: +86-727-27336686  
 Fax: +86-757-25527810  
 Sales hotline: +86-757-25527809  
 After-sales: +86-757-25527809  
 Email: info@folgaglassmachinery.com  
 Web: http://www.folgaglassmachinery.com  
 Facebook: https://www.facebook.com/folgaglassmachinery  
 Instagram: folga2004  
 Youtube: Folga Office

官網  
Website



影音號  
Wechat



